

ATT7025/7027

V1.0	2008-01-17	
V2.0	2008-01-21	

Tel: 021-51035886

Fax: 021-50277833

Email: sales@hitrendtech.com

Web: <http://www.hitrendtech.com>

1	4
2	4
3	4
4	4
5	4
6	5
7	5
6.1	5
6.2 PC	5
6.3	6
6.4	7
8	11
9	11
8.1	11
8.2	11

1

ATT7025 / 7027

Flash

socket

Flash

flash

2

ATT7025 / 7027

3

> ATT7025/7027

> -

>

>

> AC-DC 9V---12V

4

> PC


>

>

5



6




7

6.1

PC AC-DC


6.2 PC




- 1 OpenPort
- 2 Openfile
- 3 FlashErase Flash
- 4 FlashWritten Flash
- 5 GetChecksum Checksum1 Flash


6.4

1




2 hex





3

Flash



4	Flash	" Edit "	"
	Flash	Checksum1	" FlashWritten 7686277
0x0000	0x803F		
	Flash	Flash	

FlashWritten
(写主控芯片的Flash)

PFPMP Program

```

00000000 02 0F AD E4 FF FE 0F BF .....
00000008 00 01 0E BE 03 F8 BF E8 .....
00000010 F5 22 FF 02 11 EE 8F 99 .".....
00000018 30 99 FD C2 99 22 FF FF 0....."..
00000020 FF FF FF 02 0C C6 C2 A7 .....
00000028 C2 A6 C2 A4 22 FF FF FF ...."....
00000030 FF FF FF 02 FD 1E 75 81 .....u.
00000038 7F 12 14 3A 12 10 39 12 .....9.
00000040 14 84 12 13 DC 90 00 67 .....g
00000048 EF F0 BF 01 06 D2 A0 D2 .....
00000050 A1 80 04 C2 A0 C2 A1 00 .....
00000058 00 00 00 00 90 00 5E E0 .....^.
```

数据传输到主控芯片外挂Flash成功! 得到校验和显示在Checksum1中!

COM2 115200

OpenPort Openfile

Checksum1 7686277 **flashWritten**

Checksum2 0 GetChecksum

FlashErase

0 TargetErase

SetTime PFPMP

CancelTime

OK

Debug Cancel

5

Flash

Flash


Checksum2

Checksum1

" FlashErase" — " FlashWritten" — " GetChecksum"

Flash

GetChecksum
(读主控Flash内数据, 计算校验和)




6

socket


TargetErase

PFPMP

HL1



8



9

8.1

1	HL1	HL2
2	HL2	HL1
3	HL1	HL2

Socket

8.2

HL1 1 HL1 HL2